| Month | Campylobacter Cases | Month | Campylobacter cases | Percentage Change |
|---|---|---|---|---|
| Aug-13 | 637 | Aug-12 | 531 | 19.96 |
| Sep-13 | 663 | Sep-12 | 552 | 20.11 |
| Oct-13 | 656 | Oct-12 | 663 | -1.06 |
| Nov-13 | 731 | Nov-12 | 707 | 3.39 |
| Dec-13 | 899 | Dec-12 | 707 | 27.16 |
| Jan-14 | 774 | Jan-13 | 735 | 5.31 |
| Feb-14 | 534 | Feb-13 | 514 | 3.89 |
| Mar-14 | 509 | Mar-13 | 385 | 32.21 |
| Apr-14 | 401 | Apr-13 | 324 | 23.77 |
| May-14 | 394 | May-13 | 396 | -0.51 |
| Jun-14 | 388 | Jun-13 | 373 | 4.02 |
| Jul-14 | 380 | Jul-13 | 524 | -27.48 |
| Aug-14 | 506 | Aug-13 | 637 | -20.57 |
| Sep-14 | 546 | Sep-13 | 663 | -17.65 |
| Oct-14 | 681 | Oct-13 | 656 | 3.81 |
| Nov-14 | 776 | Nov-13 | 731 | 6.16 |
| Dec-14 | 881 | Dec-13 | 899 | -2.00 |
| Jan-15 | 677 | Jan-14 | 774 | -12.53 |
| Feb-15 | 456 | Feb-14 | 534 | -14.61 |
| Mar-15 | 418 | Mar-14 | 509 | -17.88 |
| Apr-15 | 327 | Apr-14 | 401 | -18.45 |
| May-15 | 384 | May-14 | 394 | -2.54 |
| Jun-15 | 372 | Jun-14 | 388 | -4.12 |
| Jul-15 | 420 | Jul-14 | 380 | 10.53 |
| Aug-15 | 490 | Aug-14 | 506 | -3.16 |
| **Total (last 12 months)** | **6444** | **Total (last 12 months)** | **6966** | **-7.49** |
| **Total (2014)** | **6770** | **Total (2013)** | **6837** | **-0.98** |
| **Total (2013)** | **6837** | **Total (2012)** | **7021** | **-2.62** |
| **Total (2012)** | 7021 | **Total (2011)** | 6685 | 5.03 |
| **Total (2011)** | 6685 | **Total (2010)** | 7338 | -8.90 |
| **Total (2010)** | 7338 | **Total (2009)** | 7177 | 2.24 |
| **Total (2009)** | 7177 | **Total (2008)** | 6694 | 7.22 |
| **Total (2008)** | 6694 | **Total (2007)** | 12778 | -47.61 |
| **Total (2007)** | 12778 | **Total (2006)** | 15874 | -19.50 |


NZ Monthly Campylobacter Cases
1100
1000
900
800
700
600
500
400
300
Number of Cases
Jan
Feb
Mar
Apr
May
June
July
Aug
Sept
Oct
Nov
Dec
Month
2012
2013
2014
2015


Campylobacter Cases
Number
1200
1000
800
600
400
200
0
Aug-12
Sep-12
Oct-12
Nov-12
Dec-12
Jan-13
Feb-13
Mar-13
Apr-13
May-13
Jun-13
Jul-13
Aug-13
Sep-13
Oct-13
Nov-13
Dec-13
Jan-14
Feb-14
Mar-14
Apr-14
May-14
Jun-14
Jul-14
Aug-14
Sep-14
Oct-14
Nov-14
Dec-14
Jan-15
Feb-15
Mar-15
Apr-15
May-15
Jun-15
Jul-15
Aug-15
Month
2015
2014


Campylobacter Cases by Region
Number of Cases
100
80
60
40
20
0
Northland
Waitamata
Auckland
Counties Manakau
Waikato
Lakes
Bay of Plenty
Tairawhiti
Taranaki
Hawke's Bay
Whanganui
Mid Central
Hutt Valley
Captital and Coast
Wairarapa
Nelson Marlborough
West Coast
Canterbury
South Canterbury
Southern
District Health Board Region
May-15
Jun-15
Jul-15
Aug-15

| Month | Campylobacter Rates | Month | Campylobacter Rates | Percentage Change |
|---|---|---|---|---|
| **Aug-13** | 145.8 | **Aug-12** | 162.8 | **-10.4** |
| **Sep-13** | **148.2** | **Sep-12** | 162.5 | **-8.8** |
| **Oct-13** | **148.1** | **Oct-12** | 166.4 | **-11.0** |
| **Nov-13** | **148.6** | **Nov-12** | 164.2 | **-9.5** |
| **Dec-13** | **152.9** | **Dec-12** | 159.7 | **-4.3** |
| **Jan-14** | **153.8** | **Jan-13** | 152.8 | **0.7** |
| **Feb-14** | **155.2** | **Feb-13** | 149.1 | **4.1** |
| **Mar-14** | **157.1** | **Mar-13** | 145.3 | **8.1** |
| **Apr-14** | **158.7** | **Apr-13** | 142.3 | **11.5** |
| **May-14** | **159.7** | **May-13** | 139.5 | **14.5** |
| **Jun-14** | **160.1** | **Jun-13** | 140.2 | **14.2** |
| **Jul-14** | **154.5** | **Jul-13** | 144.7 | **6.8** |
| **Aug-14** | **151.6** | **Aug-13** | 145.8 | **4.0** |
| **Sep-14** | **150.3** | **Sep-13** | **148.2** | **1.4** |
| **Oct-14** | **150.8** | **Oct-13** | **148.1** | **1.8** |
| **Nov-14** | **151.8** | **Nov-13** | **148.6** | **2.2** |
| **Dec-14** | **151.4** | **Dec-13** | **152.9** | **-1.0** |
| **Jan-15** | **149.4** | **Jan-14** | **153.8** | **-2.9** |
| **Feb-15** | **146.5** | **Feb-14** | **155.2** | **-5.6** |
| **Mar-15** | **144.4** | **Mar-14** | **158.0** | **-8.6** |
| **Apr-15** | **142.8** | **Apr-14** | **159.8** | **-10.6** |
| **May-15** | **142.6** | **May-14** | **159.7** | **-10.7** |
| **Jun-15** | **142.2** | **Jun-14** | **160.1** | **-11.2** |
| **Jul-15** | **143.1** | **Jul-14** | **154.5** | **-7.4** |
| **Aug-15** | **142.7** | **Aug-14** | **151.6** | **-5.9** |
| **Average(last 12 months)** | **146.5** | **Average(last 12 months)** | **154.2** | **-5.0** |
| **Average (2014)** | **154.6** | **Average (2013)** | **146.5** | **5.5** |
| **Average (2013)** | **146.5** | **Average (2012)** | **165.6** | **-11.5** |
| **Average (2012** | 165.6 | **Average (2011)** | 151.6 | 9.2 |
| **Average (2011)** | 151.6 | **Average (2010)** | 174.2 | -13.0 |
| **Average (2010)** | 174.2 | **Average (2009)** | 162.6 | 7.1 |
| **Average (2009)** | 162.6 | **Average (2008)** | 201.6 | -19.3 |
| **Average (2008)** | 201.6 | **Average (2007)** | 365.1 | -44.8 |
| **Average (2007)** | 365.1 | **Average (2006)** | 415.0 | -12.0 |
| **Average (2006)** | 415.0 | **Average (2005)** | 333.7 | 24.4 |


NZ Monthly Campylobacter Rates
Rates (Cases per 100,000 population)
190.0
180.0
170.0
160.0
150.0
140.0
130.0
Jan
Feb
Mar
Apr
May
June
July
Aug
Sept
Oct
Nov
Dec
Month
2012
2013
2014
2015


Campylobacter Rates
180.0
170.0
160.0
150.0
140.0
130.0
Campy rate (Cases per 100,000 population)
Aug-12
Sep-12
Oct-12
Nov-12
Dec-12
Jan-13
Feb-13
Mar-13
Apr-13
May-13
Jun-13
Jul-13
Aug-13
Sep-13
Oct-13
Nov-13
Dec-13
Jan-14
Feb-14
Mar-14
Apr-14
May-14
Jun-14
Jul-14
Aug-14
Sep-14
Oct-14
Nov-14
Dec-14
Jan-15
Feb-15
Mar-15
Apr-15
May-15
Jun-15
Jul-15
Aug-15
Month
Campylobacter Rates
Campylobacter Rates same month previous year


Campylobacter Rate by Region
300
250
200
150
100
50
Rate
Northland
Waitamata
Auckland
Counties Manakau
Waikato
Lakes
Bay of Plenty
Tairawhiti
Taranaki
Hawke's Bay
Whanganui
Mid Central
Hutt Valley
Captital and Coast
Wairarapa
Nelson Marlborough
West Coast
Canterbury
South Canterbury
Southern
District Health Board Region
May-15
Jun-15
Jul-15
Aug-15