| Month | Campylobacter Cases | Month | Campylobacter cases | Percentage Change |
|---|---|---|---|---|
| Oct-15 | 579 | Oct-14 | 682 | -15.10 |
| Nov-15 | 779 | Nov-14 | 776 | 0.39 |
| Dec-15 | 756 | Dec-14 | 893 | -15.34 |
| Jan-16 | 720 | Jan-15 | 676 | 6.51 |
| Feb-16 | 454 | Feb-15 | 455 | -0.22 |
| Mar-16 | 418 | Mar-15 | 417 | 0.24 |
| Apr-16 | 364 | Apr-15 | 327 | 11.31 |
| May-16 | 391 | May-15 | 380 | 2.89 |
| Jun-16 | 334 | Jun-15 | 371 | -9.97 |
| Jul-16 | 342 | Jul-15 | 420 | -18.57 |
| Aug-16 | 1108 | Aug-15 | 488 | 127.05 |
| Sep-16 | 572 | Sep-15 | 570 | 0.35 |
| Oct-16 | 855 | Oct-15 | 579 | 47.67 |
| Nov-16 | 1103 | Nov-15 | 779 | 41.59 |
| Dec-16 | 796 | Dec-15 | 756 | 5.29 |
| Jan-17 | 663 | Jan-16 | 720 | -7.92 |
| Feb-17 | 558 | Feb-16 | 454 | 22.91 |
| Mar-17 | 436 | Mar-16 | 418 | 4.31 |
| Apr-17 | 372 | Apr-16 | 364 | 2.20 |
| May-17 | 430 | May-16 | 391 | 9.97 |
| Jun-17 | 369 | Jun-16 | 334 | 10.48 |
| Jul-17 | 441 | Jul-16 | 342 | 28.95 |
| Aug-17 | 569 | Aug-16 | 1108 | -48.65 |
| Sep-17 | 592 | Sep-16 | 572 | 3.50 |
| Oct-17 | 687 | Oct-16 | 855 | -19.65 |
| Total (last 12 months) | 7184 | Total (last 12 months) | 6817 | 5.38 |
| Total (2016) | 7457 | Total (2015) | 6218 | 19.93 |
| Total (2015) | 6218 | Total (2014) | 6782 | -8.32 |
| Total (2014) | 6782 | Total (2013) | 6837 | -0.80 |
| Total (2013) | 6837 | Total (2012) | 7021 | -2.62 |
| Total (2012) | 7021 | Total (2011) | 6685 | 5.03 |
| Total (2011) | 6685 | Total (2010) | 7338 | -8.90 |
| Total (2010) | 7338 | Total (2009) | 7177 | 2.24 |
| Total (2009) | 7177 | Total (2008) | 6694 | 7.22 |


NZ Monthly Campylobacter Cases
Number of Cases
1200
1100
1000
900
800
700
600
500
400
300
Jan
Feb
Mar
Apr
May
June
July
Aug
Sept
Oct
Nov
Dec
Month
2014
2015
2016
2017

# Campylobacter Cases




Campylobacter Cases by Region
Number of Cases
120
100
80
60
40
20
0
Northland
Waitamata
Auckland
Counties Manakau
Waikato
Lakes
Bay of Plenty
Tairawhiti
Taranaki
Hawke's Bay
Whanganui
Mid Central
Hutt Valley
Captital and Coast
Wairarapa
Nelson Marlborough
West Coast
Canterbury
South Canterbury
Southern
District Health Board Region
Jul-17
Aug-17
Sep-17
Oct-17

| Month | Campylobacter Rates | Month | Campylobacter Rates | Percentage Change |
|---|---|---|---|---|
| Oct-15 | 138.2 | Oct-14 | 149.5 | -7.6 |
| Nov-15 | 138.3 | Nov-14 | 150.5 | -8.1 |
| Dec-15 | 135.3 | Dec-14 | 150.4 | -10.0 |
| Jan-16 | 136.3 | Jan-15 | 148.2 | -8.0 |
| Feb-16 | 136.2 | Feb-15 | 146.5 | -7.0 |
| Mar-16 | 136.3 | Mar-15 | 144.4 | -5.6 |
| Apr-16 | 137.1 | Apr-15 | 142.8 | -4.0 |
| May-16 | 137.3 | May-15 | 142.5 | -3.6 |
| Jun-16 | 136.5 | Jun-15 | 142.1 | -3.9 |
| Jul-16 | 132.0 | Jul-15 | 140.3 | -5.9 |
| Aug-16 | 145.2 | Aug-15 | 139.9 | 3.8 |
| Sep-16 | 145.3 | Sep-15 | 140.5 | 3.4 |
| Oct-16 | 151.1 | Oct-15 | 138.2 | 9.3 |
| Nov-16 | 161.4 | Nov-15 | 138.3 | 16.7 |
| Dec-16 | 162.3 | Dec-15 | 135.3 | 20.0 |
| Jan-17 | 161.0 | Jan-16 | 136.3 | 18.1 |
| Feb-17 | 159.9 | Feb-16 | 136.2 | 17.4 |
| Mar-17 | 160.2 | Mar-16 | 136.3 | 17.5 |
| Apr-17 | 159.2 | Apr-16 | 137.1 | 16.1 |
| May-17 | 160.0 | May-16 | 137.3 | 16.5 |
| Jun-17 | 160.7 | Jun-16 | 136.5 | 17.7 |
| Jul-17 | 162.8 | Jul-16 | 132.0 | 23.3 |
| Aug-17 | 151.3 | Aug-16 | 145.2 | 4.2 |
| Sep-17 | 151.7 | Sep-16 | 145.3 | 4.4 |
| Oct-17 | 148.1 | Oct-16 | 151.1 | -2.0 |
| Average (last 12 months) | 158.5 | Average (last 12 months) | 137.8 | 15.0 |
| Average (2016) | 143.1 | Average (2015) | 141.6 | 1.1 |
| Average (2015) | 141.6 | Average (2014) | 154.3 | -8.3 |
| Average (2014) | 154.3 | Average (2013) | 146.5 | 5.4 |
| Average (2013) | 146.5 | Average (2012) | 165.6 | -11.5 |
| Average (2012 | 165.6 | Average (2011) | 151.6 | 9.2 |
| Average (2011) | 151.6 | Average (2010) | 174.2 | -13.0 |
| Average (2010) | 174.2 | Average (2009) | 162.6 | 7.1 |
| Average (2009) | 162.6 | Average (2008) | 201.6 | -19.3 |


NZ Monthly Campylobacter Rates
Rates (Cases per 100,000 population)
190.0
180.0
170.0
160.0
150.0
140.0
130.0
Jan
Feb
Mar
Apr
May
June
July
Aug
Sept
Oct
Nov
Dec
Month
2014
2015
2016
2017


Campylobacter Rates
Campy rate (Cases per 100,000 population)
180.0
170.0
160.0
150.0
140.0
130.0
Oct-15
Nov-15
Dec-15
Jan-16
Feb-16
Mar-16
Apr-16
May-16
Jun-16
Jul-16
Aug-16
Sep-16
Oct-16
Nov-16
Dec-16
Jan-17
Feb-17
Mar-17
Apr-17
May-17
Jun-17
Jul-17
Aug-17
Sep-17
Oct-17
Month
2015 - 2016
2016 - 2017


Campylobacter Rate by Region
Rate
300
250
200
150
100
50
July 17, 825.3 rate
August 17, 447.3 rate
September 17, 421.9 rate
October 17, 332.1 rate
Northland
Waitamata
Auckland
Counties Manakau
Waikato
Lakes
Bay of Plenty
Tairawhiti
Taranaki
Hawke's Bay
Whanganui
Mid Central
Hutt Valley
Captital and Coast
Wairarapa
Nelson Marlborough
West Coast
Canterbury
South Canterbury
Southern
District Health Board Region
Jul-17
Aug-17
Sep-17
Oct-17